

Cee-Bee[®] A-235

Cee-Bee[®] A-235 is a diphase, solvent-base, alkaline, cold-tank carbon and paint remover.

Conforms To

- Military
 - NSN: 6850PHM00005812

Benefits

- A very effective paint and carbon remover containing phenol.
- Upper water-base phase, used to reduce evaporation, also strips paint.
- Long tank life when properly controlled.
- Safe on high strength steel, mild steel, stainless steel, aluminum, magnesium and other metals.
- Low vapor toxicity.
- Low odor.
- Surfactants biodegradable.

Properties

- Two-phase liquid
- Highly alkaline
- Contains chlorinated solvents and phenol

Notes Prior to Handling

Before using your Cee-Bee[®] products, all safety and operating instructions should be read and understood. If you have any questions, please contact your Cee-Bee[®] representative before proceeding.

Use Procedure

1. Use full strength in a mild steel tank at 55-90°F (13-32°C). A freshly charged tank should not be used for several hours to allow water-base phase to float to the surface.
2. Immerse parts into lower layer and soak until coating, carbon and/or soil have been penetrated. Soak time will vary from a few minutes to several hours depending upon the type and thickness of coating to be removed.
3. Parts can be lightly brushed to speed removal. When cleaning is complete, raise parts and allow excess cleaner to drain back into the tank. Rinse with an air boosted water spray.

Solution Control

1. Maintain upper, water-base phase at 8" to 16" by additions of water.
2. Do not allow upper phase to exceed 15%.
3. Maintain pH at 10.5 to 11.5 by additions of potassium hydroxide.

Safety, Handling, and Precautions

- **DANGER!** Contains phenol, strong alkali, chlorinated solvents and other organic solvents.
- Rapidly absorbed through the skin. Can cause severe burns and may be fatal if exposure is extensive.
- Avoid skin and eye contact. Avoid breathing concentrated vapors. Do not use in confined spaces.
- Wear face shield or goggles, rubber gloves and protective clothing. For large scale operation, wear full wash rack gear. Wash thoroughly after handling.
- Do not take internally.
- In case of accidental contact, immediately flood area with water for at least 30 minutes - obtain medical attention. Remove contaminated clothing and wash before reuse.
- For ingestion, do not induce vomiting - administer large quantities of water. Seek medical attention.
- Do not allow parts to remain at the interface between the upper and lower layers for an extended period of time.
- Before removing bung, loosen slowly to relieve internal pressure.

Contact Us

United States

McGean

Phone: +1-216-441-4900

Fax: +1-216-441-1377

Email: Aviation@McGean.com

United Kingdom

McGean-Rohco (UK) Ltd.

Phone: +44-1902-456563

Fax: +44-1902-457443

Email: Aviation@McGean-Rohco.co.uk

Singapore

McGean Singapore

Phone: +65-6863-2296

Fax: +65-6863-2297

Email: Info@ceebee.com.sg

China

Cee-Bee Aviation Materials (Xiamen) Co. Ltd.

Phone: +86-592-551-3689

Email: Info@ceebee.com.cn

Cee-Bee[®] A-235 is a diphasic, solvent-base, alkaline, cold-tank carbon and paint remover.

CAUTION: BEFORE USING ANY OF THESE PRODUCTS, YOU MUST BECOME COMPLETELY FAMILIAR WITH THE INFORMATION CONTAINED IN MCGEAN'S SAFETY DATA SHEETS. All information contained therein or in this document regarding handling, personal protection, and other safety measures must be followed during use. McGean presents the information herein without warranty and disclaims any liability, including any consequential, special, or indirect damages, arising from its use and misuse. Because the use, the conditions of use, product or product composition, and/or applicable laws may differ from one location to another and/or may change with time, the purchaser and/or user is solely responsible for determining whether the product is appropriate for use. McGean recommends use of this product solely in commercial processes which are specified by McGean and which do not violate any third-party patent rights or any laws or regulations or otherwise adversely impact human health and the environment. Users must make their own investigations and determine the suitability of the product for their particular purposes. McGean does not guarantee the accuracy of any data provided by its suppliers. MCGEAN MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE EXCEPT AS EXPRESSLY STATED IN THE SELLER'S SALES CONTRACT OR SALES ACKNOWLEDGEMENT FORM. USE OF ANY MCGEAN PRODUCT IS AT THE USER'S RISK.



Revision: 06/2021 (Rev. A2)