

## Super Bee™ 235

Super Bee<sup>™</sup> 235 is an exterior cleaner and polish for aircraft exterior surfaces.

# 🔶 Conforms To

- AMS
  - o AMS 1531

## 🔱 Benefits

- Quickly and easily removes carbon, dirt and traffic film from both painted and unpainted surfaces.
- Dries rapidly and completely for easy wipe off.
- Leaves a detergent resistant film to increase gloss and extend corrosion protection.
- Can be used in freezing weather by diluting with ethylene glycol.
- Safe on all common aircraft metals, including aluminum, high strength steel, mild steel, stainless steel, magnesium and copper.
- Does not contain chromates or other heavy metals.
- Surfactants biodegradable.

# 📋 Properties

- Viscous, light brown liquid
- Mild odor

- Mildly alkaline
- Flash point: 93° C minimum

## Notes Prior to Handling

Before using your Cee-Bee<sup>®</sup> products, all safety and operating instructions should be read and understood. If you have any questions, please contact your Cee-Bee<sup>®</sup> representative before proceeding.





#### **Paint Stripping**

- Use as received or dilute with as much as 4 parts water.
- For cold weather cleaning, dilute 1:1 with a mix of 1 part ethylene glycol and 4 parts water.
- Apply with non-atomizing spray equipment. Start at lowest point on the surface and work up. Allow to dwell until soil is penetrated, then agitate with mop or cloth.
- When dry, wipe powder from surface with clean mops or cloth.
- If water rinse is used, immediately rinse with a high-pressure water after agitating with a mop or cloth. Rewet with polish if dry areas appear before water rinse.

## Safety, Handling, and Precautions

- Will not craze acrylic plastic.
- However, agitation should be avoided since abrasives may scratch plastic surface.
- If separation occurs after dilution or when stored at high temperatures, product may be recombined with agitation.



### **Product Data Sheet**

### **Contact Us**

### **United States**

**McGean** Phone: +1-216-441-4900 Fax: +1-216-441-1377 Email: <u>Aviation@McGean.com</u> United Kingdom McGean-Rohco (UK) Ltd. Phone: +44-1902-456563 Fax: +44-1902-457443 Email: <u>Aviation@McGean-Rohco.co.uk</u>

Singapore McGean Singapore Phone: +65-6863-2296 Fax: +65-6863-2297 Email: Info@ceebee.com.sg **China Cee-Bee Aviation Materials (Xiamen) Co. Ltd.** Phone: +86-592-551-3689 Email: <u>Info@ceebee.com.cn</u>

Super Bee<sup>™</sup> 235 is an exterior cleaner and polish for aircraft exterior surfaces.

CAUTION: BEFORE USING ANY OF THESE PRODUCTS, YOU MUST BECOME COMPLETELY FAMILIAR WITH THE INFORMATION CONTAINED IN MCGEAN'S SAFETY DATA SHEETS. All information contained therein or in this document regarding handling, personal protection, and other safety measures must be followed during use. McGean presents the information herein without warranty and disclaims any liability, including any consequential, special, or indirect damages, arising from its use and misuse. Because the use, the conditions of use, product or product composition, and/or applicable laws may differ from one location to another and/or may change with time, the purchaser and/or user is solely responsible for determining whether the product is appropriate for use. McGean recommends use of this product solely in commercial processes which are specified by McGean and which do not violate any third-party patent rights or any laws or regulations or otherwise adversely impact human health and the environment. Users must make their own investigations and determine the suitability of the product for their particular purposes. McGean does not guarantee the accuracy of any data provided by its suppliers. MCGEAN MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE EXCEPT AS EXPRESSLY STATED IN THE SELLER'S SALES CONTRACT OR SALES ACKNOWLEDGEMENT FORM. USE OF ANY MCGEAN PRODUCT IS AT THE USER'S RISK.



Revision: 09/2024